

SPEC CHEM CURE & SEAL 25

A VOC compliant acrylic polymer designed to cure, seal, harden and dust proof freshly placed concrete and improve durability of aged concrete surfaces. Primary features:

- 25% solids.
- Renovates existing concrete floors.
- Meets ASTM C-1315 and ASTM C-309 Type 1, Classes A&B.

21-10200 5-Gal. Pail

[Spec Sheet](#)
[MSDS/SDS](#)

SPEC CHEM CURE & SEAL WB

A water-based VOC compliant acrylic polymer designed to cure, seal, harden, and dust proof freshly placed concrete and improve durability of aged concrete surfaces. Primary features:

- Suited for interior or exterior use.
- Provides tough film that is resistant to abrasion and common stains.
- Meets ASTM C-309, Type 1, Class A&B.

21-10291 5-Gal Pail
21-10290 55-Gal Drum

[Spec Sheet](#)
[MSDS/SDS](#)

SPEC CHEM E-CURE

A clear concrete curing compound which densifies, hardens, and dust proofs. Meets moisture retention of ASTM C-309 on hard-troweled concrete surfaces.

Primary features:

- Non-yellowing.
- Will not inhibit adhesion of secondary coatings, topping, or adhesives designed for concrete.
- Resists acids, oils, and tire marks.

21-10407 5-Gal Pail

[Spec Sheet](#)
[MSDS/SDS](#)

SPEC CHEM CURE HARD

A spray applied concrete cure, hardener, and dust proofer. Penetrates concrete surfaces without altering the natural appearance of concrete. Primary features:

- Ready to use.
- Economical.
- Resists acids, oils, and tire marks.

21-10405 5-Gal Pail

[Spec Sheet](#)
[MSDS/SDS](#)

SPEC CHEM SPECCITY WHITE

A wax-based white pigmented concrete curing compound. Ideal for application on exterior horizontal surfaces such as street and curb paving. Primary features:

- Retains moisture to reduce shrinkage cracks.
- Improves durability.
- VOC compliant.

21-10225 5-Gal Pail
21-10226 55-Gal Drum

[Spec Sheet](#)
[MSDS/SDS](#)

SPEC CHEM PAVE CURE WW

A high solids wax- and water-based white pigmented concrete curing compound. Ideal for application on exterior, horizontal surfaces such as highways, airports, street, and curb paving when proper curing is required.

Primary features:

- Retains moisture to reduce shrinkage cracks.
- Improves durability.
- Increases compressive strength and wear resistance.
- VOC compliant.

21-10227 5-Gal Pail
21-10228 55-Gal Drum
21-10229 275-Gal Tote

[Spec Sheet](#)
[MSDS/SDS](#)