

# SAFETY DATA SHEET

Issue Date 29-May-2015

RA

Revision Date 02-Jun-2015

Version 1

Brickform Antique Release

# **1. IDENTIFICATION**

<u>Product identifier</u> Product Name	Brickform Antique Release
Other means of identification	1
Product Code	RA
Synonyms	100, 175, 200, 300, 325, 350, 375, 400, 425, 500, 515, 525, 550, 575, 600, 615, 625, 700,
	810, 815, 820, 825, 1010, 1015, 1045, 1050, 1055, 1065, 1075, 1080, 00
Recommended use of the ch	emical and restrictions on use
Recommended Use	Restricted to professional users.
Uses advised against	Consumer use
Details of the supplier of the Supplier Address	safety data sheet Manufacturer Address Solomon Colors, Inc.

Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702 Manufacturer Address Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702

Company Phone Number800-624-0261 (US & Canada); 217-522-3112 (Outside North America)24 Hour Emergency Phone Number800-373-7542

# 2. HAZARDS IDENTIFICATION

# **Classification**

# **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

## Label elements

**Emergency Overview** 

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Powder

Physical state Powder

Odor Odorless

# Hazards not otherwise classified (HNOC)

Other Information

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Synonyms

100, 175, 200, 300, 325, 350, 375, 400, 425, 500, 515, 525, 550, 575, 600, 615, 625, 700, 810, 815, 820, 825, 1010, 1015, 1045, 1050, 1055, 1065, 1075, 1080, 00.

Chemical Name	CAS No.	Weight-%	Trade Secret
Inorganic Filler	Proprietary	0-25	*
Proprietary Release Agent	Proprietary	0-25	*
Yellow Iron Oxide	51274-00-1	0-15	*
Red Iron Oxide	1309-37-1	0-15	*
Chrome Oxide	1308-38-9	0-15	*
Black Iron Oxide	1317-61-9	0-15	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

Description	of first aid	measures

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin Contact	Wash skin with soap and water.		
Inhalation	Remove to fresh air.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effects, both acute and delayed			
Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective ec	quipment and emergency procedures_		
Personal precautions	Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.		
Environmental precautions			
Environmental precautions	See Section 12 for additional ecological information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Incompatible materials	None known based on information supplied.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### **Exposure Guidelines**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Inorganic Filler	TWA: 2 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Proprietary Release Agent	TWA: 10 mg/m <sup>3</sup> except stearates of toxic metals	-	-
Red Iron Oxide 1309-37-1	TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> fume and total dust Iron oxide (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction regulated under Rouge	IDLH: 2500 mg/m <sup>3</sup> Fe dust and fume TWA: 5 mg/m <sup>3</sup> Fe dust and fume
Chrome Oxide 1308-38-9	TWA: 0.5 mg/m <sup>3</sup> Cr	TWA: 0.5 mg/m <sup>3</sup> Cr (vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III) TWA: 0.5 mg/m <sup>3</sup> Cr

NIOSH IDLH Immediately Dangerous to Life or Health

#### **Other Information**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

## Appropriate engineering controls

#### Engineering Controls Showers Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

	<u></u>	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	Powder Powder Light Amber to Black	Odor Odor threshold	Odorless No information available
<u>Property</u> pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas)	<u>Values</u> No information available No information available No information available No information available No information available	<u>Remarks • Method</u>	

Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties

# **Other Information**

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available

No information available No information available No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

# Chemical stability

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

## **Conditions to avoid**

Extremes of temperature and direct sunlight.

# **Incompatible materials**

None known based on information supplied.

## **Hazardous Decomposition Products**

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary Release Agent	> 10 g/kg (Rat)	-	-
Red Iron Oxide 1309-37-1	> 10000 mg/kg (Rat)	-	-
Black Iron Oxide 1317-61-9	> 10000 mg/kg (Rat)	-	-

# Information on toxicological effects

#### Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.			
Germ cell mutagenicity	No information available.			
Carcinogenicity	No information	on available.		
Chemical Name	ACGIH	IARC	NTP	OSHA
Red Iron Oxide 1309-37-1	-	Group 3	-	-
Chrome Oxide 1308-38-9	-	Group 3	-	-
A3 - Animal Carcinogen IARC (International Age Group 2B - Possibly Carc Not classifiable as a hum	an carcinogen	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	f Labor)	
Reproductive toxicity STOT - single exposure STOT - repeated exposur Target Organ Effects	No information <b>e</b> No information	No information available. No information available. No information available. Eves, lungs, Lymphatic System, Respiratory system, Skin,		

Target Organ EffectsEyes, lungs, Lymphatic System, Respiratory system, Skin.Aspiration hazardNo information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	741 mg/kg
ATEmix (dermal)	601 mg/kg

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Persistence and degradability No information available. Bioaccumulation No information available.	
Other adverse effects	No information available
	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	California Hazardous Waste Status
Chrome Oxide	Toxic
1308-38-9	Corrosive
	Ignitable

# **14. TRANSPORT INFORMATION**

DOT

Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %		
Chrome Oxide - 1308-38-9	1.0		
SARA 311/312 Hazard Categories			
Acute health hazard	No		
Chronic Health Hazard	No		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

## CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Chrome Oxide 1308-38-9	-	Х	-	-

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Inorganic Filler	X	X	Х
Red Iron Oxide 1309-37-1	X	X	Х
Chrome Oxide 1308-38-9	X	X	X

# **16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

NFPA

Reactivity 0

Physical and Chemical HMIS Properties -

Health hazards 0

Flammability 0

Physical hazards 0 Personal protection X

**Issue Date** 29-May-2015 **Revision Date** 02-Jun-2015 **Revision Note** No information available

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**